

ROCKMORE: Global in Scope, Personal in Practice

For more than 60 years, Rockmore International has developed a distinctly streamlined, user-focused way of serving our broad range of customers. With manufacturing centers in two hemispheres and distribution centers on nearly every continent, we ensure that our worldwide clients have quick access to our service, manufacturing and marketing expertise. Whether your business is civil engineering, mining or waterwell drilling, chances are, Rockmore has had experience with a company just like yours.

Rockmore has become the industry's performance leader in tools that withstand the toughest rock drilling demands. Our commitment to this degree of quality starts with extensive R & D. Rockmore includes some of the sharpest minds in the rock-drilling industry – a team of product designers, metallurgical experts and tool specialists who are continually advancing drilling technology for the entire industry.

Our drilling tools are developed based on the continuous input of operators and contractors working in the field. That's why our products exceed industry specifications for performance and safety.

When you work with Rockmore International, we are committed to the success of your project.







THE ROCKMORE DTH SOLUTION

- High performance design delivers more energy to the piston
- Integrated SonicFlow
 Technology increases airflow efficiency
- Patented innovations minimize turbulence and backflow
- Superior penetration rates
- Greater drilling efficiency for mining, quarrying, water-well and gas fields
- Streamlined design with fewer components, less wear points
- Easy assembly and maintenance
- Advanced materials: the toughest steel and carbide available
- Extended service life



10065 SW Commerce Circle Wilsonville, OR 97070 USA Tel +1 503 682-1001

Fax +1 503 682-1002 E-mail info@rockmore-intl.com

Collini - Strasse 2
A-8750 Judenburg Austria
Tel +43 3572 86300

Fax +43 3572 84179

E-mail: austria@rockmore-intl.at

www.rockmore-intl.com











ROCK MORE



6/7/12